Montana Board of Oil and Gas Conservation Environmental Assessment

Operator: Kykuit Resources, LLC
Well Name/Number: Rich #5B-21-18
Location: NW SW Section 5 T21N R18E
County: Fergus , MT; Field (or Wildcat) Wildcat
· · · · · · · · · · · · · · · · · · ·
Air Quality
(possible concerns)
Long drilling time: No. 3 to 4 days
Unusually deep drilling (high horsepower rig): No, small single drilling rig TD 2200'.
Possible H2S gas production: No, sweet gas production.
In/near Class I air quality area: <u>Not in a Class I air quality area.</u> Air quality permit for flaring/venting (if productive): <u>Yes, DEQ air quality permit required under the permit required under the</u>
75-2-211.
<u>/J-Z-211.</u>
Mitigation:
_X Air quality permit (AQB review)
Gas plants/pipelines available for sour gas
Special equipment/procedures requirements
Other:
Comments: Small single derrick drilling rig to drill to 2200' TD.
Water Quality
(possible concerns)
(possible concerns) Salt/oil based mud: No, freshwater and freshwater mud system to be used.
(possible concerns) Salt/oil based mud: No, freshwater and freshwater mud system to be used. High water table: No, high water table expected.
(possible concerns) Salt/oil based mud: No, freshwater and freshwater mud system to be used. High water table: No, high water table expected. Surface drainage leads to live water: Closest drainage is an unnamed ephemeral tributary
(possible concerns) Salt/oil based mud: No, freshwater and freshwater mud system to be used. High water table: No, high water table expected. Surface drainage leads to live water: Closest drainage is an unnamed ephemeral tributary drainage to Flax Coulee, about 1/4 of a mile to the northwest of this location.
(possible concerns) Salt/oil based mud: No, freshwater and freshwater mud system to be used. High water table: No, high water table expected. Surface drainage leads to live water: Closest drainage is an unnamed ephemeral tributary drainage to Flax Coulee, about 1/4 of a mile to the northwest of this location. Water well contamination: None, closest water wells are about 3/4 of a mile to the south, 1 mile
(possible concerns) Salt/oil based mud: No, freshwater and freshwater mud system to be used. High water table: No, high water table expected. Surface drainage leads to live water: Closest drainage is an unnamed ephemeral tributary drainage to Flax Coulee, about 1/4 of a mile to the northwest of this location. Water well contamination: None, closest water wells are about 3/4 of a mile to the south, 1 mile to the south and 1 mile to the west from this location, depth of this wells are 27', 15' and 240'.
(possible concerns) Salt/oil based mud: No, freshwater and freshwater mud system to be used. High water table: No, high water table expected. Surface drainage leads to live water: Closest drainage is an unnamed ephemeral tributary drainage to Flax Coulee, about 1/4 of a mile to the northwest of this location. Water well contamination: None, closest water wells are about 3/4 of a mile to the south, 1 mile to the south and 1 mile to the west from this location, depth of this wells are 27', 15' and 240'. Surface hole will be drilled with freshwater to 250'. Steel surface casing will be run and
(possible concerns) Salt/oil based mud: No, freshwater and freshwater mud system to be used. High water table: No, high water table expected. Surface drainage leads to live water: Closest drainage is an unnamed ephemeral tributary drainage to Flax Coulee, about 1/4 of a mile to the northwest of this location. Water well contamination: None, closest water wells are about 3/4 of a mile to the south, 1 mile to the south and 1 mile to the west from this location, depth of this wells are 27', 15' and 240'. Surface hole will be drilled with freshwater to 250'. Steel surface casing will be run and cemented to surface to protect ground waters.
(possible concerns) Salt/oil based mud: No, freshwater and freshwater mud system to be used. High water table: No, high water table expected. Surface drainage leads to live water: Closest drainage is an unnamed ephemeral tributary drainage to Flax Coulee, about 1/4 of a mile to the northwest of this location. Water well contamination: None, closest water wells are about 3/4 of a mile to the south, 1 mile to the south and 1 mile to the west from this location, depth of this wells are 27', 15' and 240'. Surface hole will be drilled with freshwater to 250'. Steel surface casing will be run and cemented to surface to protect ground waters. Porous/permeable soils: No, sandy bentonitic soils.
(possible concerns) Salt/oil based mud: No, freshwater and freshwater mud system to be used. High water table: No, high water table expected. Surface drainage leads to live water: Closest drainage is an unnamed ephemeral tributary drainage to Flax Coulee, about 1/4 of a mile to the northwest of this location. Water well contamination: None, closest water wells are about 3/4 of a mile to the south, 1 mile to the south and 1 mile to the west from this location, depth of this wells are 27', 15' and 240'. Surface hole will be drilled with freshwater to 250'. Steel surface casing will be run and cemented to surface to protect ground waters. Porous/permeable soils: No, sandy bentonitic soils. Class I stream drainage: No, Class I stream drainages nearby.
(possible concerns) Salt/oil based mud: No, freshwater and freshwater mud system to be used. High water table: No, high water table expected. Surface drainage leads to live water: Closest drainage is an unnamed ephemeral tributary drainage to Flax Coulee, about 1/4 of a mile to the northwest of this location. Water well contamination: None, closest water wells are about 3/4 of a mile to the south, 1 mile to the south and 1 mile to the west from this location, depth of this wells are 27', 15' and 240'. Surface hole will be drilled with freshwater to 250'. Steel surface casing will be run and cemented to surface to protect ground waters. Porous/permeable soils: No, sandy bentonitic soils. Class I stream drainage: No, Class I stream drainages nearby. Mitigation:
(possible concerns) Salt/oil based mud: No, freshwater and freshwater mud system to be used. High water table: No, high water table expected. Surface drainage leads to live water: Closest drainage is an unnamed ephemeral tributary drainage to Flax Coulee, about 1/4 of a mile to the northwest of this location. Water well contamination: None, closest water wells are about 3/4 of a mile to the south, 1 mile to the south and 1 mile to the west from this location, depth of this wells are 27', 15' and 240'. Surface hole will be drilled with freshwater to 250'. Steel surface casing will be run and cemented to surface to protect ground waters. Porous/permeable soils: No, sandy bentonitic soils. Class I stream drainage: No, Class I stream drainages nearby. Mitigation: Lined reserve pit
Salt/oil based mud: No, freshwater and freshwater mud system to be used. High water table: No, high water table expected. Surface drainage leads to live water: Closest drainage is an unnamed ephemeral tributary drainage to Flax Coulee, about 1/4 of a mile to the northwest of this location. Water well contamination: None, closest water wells are about 3/4 of a mile to the south, 1 mile to the south and 1 mile to the west from this location, depth of this wells are 27', 15' and 240'. Surface hole will be drilled with freshwater to 250'. Steel surface casing will be run and cemented to surface to protect ground waters. Porous/permeable soils: No, sandy bentonitic soils. Class I stream drainage: No, Class I stream drainages nearby. Mitigation: Lined reserve pit X Adequate surface casing
(possible concerns) Salt/oil based mud: No, freshwater and freshwater mud system to be used. High water table: No, high water table expected. Surface drainage leads to live water: Closest drainage is an unnamed ephemeral tributary drainage to Flax Coulee, about 1/4 of a mile to the northwest of this location. Water well contamination: None, closest water wells are about 3/4 of a mile to the south, 1 mile to the south and 1 mile to the west from this location, depth of this wells are 27', 15' and 240'. Surface hole will be drilled with freshwater to 250'. Steel surface casing will be run and cemented to surface to protect ground waters. Porous/permeable soils: No, sandy bentonitic soils. Class I stream drainage: No, Class I stream drainages nearby. Mitigation: Lined reserve pit X Adequate surface casing Berms/dykes, re-routed drainage
(possible concerns) Salt/oil based mud: No, freshwater and freshwater mud system to be used. High water table: No, high water table expected. Surface drainage leads to live water: Closest drainage is an unnamed ephemeral tributary drainage to Flax Coulee, about 1/4 of a mile to the northwest of this location. Water well contamination: None, closest water wells are about 3/4 of a mile to the south, 1 mile to the south and 1 mile to the west from this location, depth of this wells are 27', 15' and 240'. Surface hole will be drilled with freshwater to 250'. Steel surface casing will be run and cemented to surface to protect ground waters. Porous/permeable soils: No, sandy bentonitic soils. Class I stream drainage: No, Class I stream drainages nearby. Mitigation: Lined reserve pit X_ Adequate surface casing Berms/dykes, re-routed drainage Closed mud system
(possible concerns) Salt/oil based mud: No, freshwater and freshwater mud system to be used. High water table: No, high water table expected. Surface drainage leads to live water: Closest drainage is an unnamed ephemeral tributary drainage to Flax Coulee, about 1/4 of a mile to the northwest of this location. Water well contamination: None, closest water wells are about 3/4 of a mile to the south, 1 mile to the south and 1 mile to the west from this location, depth of this wells are 27', 15' and 240'. Surface hole will be drilled with freshwater to 250'. Steel surface casing will be run and cemented to surface to protect ground waters. Porous/permeable soils: No, sandy bentonitic soils. Class I stream drainage: No, Class I stream drainages nearby. Mitigation: Lined reserve pit X Adequate surface casing Berms/dykes, re-routed drainage
(possible concerns) Salt/oil based mud: No, freshwater and freshwater mud system to be used. High water table: No, high water table expected. Surface drainage leads to live water: Closest drainage is an unnamed ephemeral tributary drainage to Flax Coulee, about 1/4 of a mile to the northwest of this location. Water well contamination: None, closest water wells are about 3/4 of a mile to the south, 1 mile to the south and 1 mile to the west from this location, depth of this wells are 27', 15' and 240'. Surface hole will be drilled with freshwater to 250'. Steel surface casing will be run and cemented to surface to protect ground waters. Porous/permeable soils: No, sandy bentonitic soils. Class I stream drainage: No, Class I stream drainages nearby. Mitigation: Lined reserve pit X Adequate surface casing Berms/dykes, re-routed drainage Closed mud system Off-site disposal of solids/liquids (in approved facility)

Soils/Vegetation/Land Use

(possible concerns)
Steam crossings: No, streams to be crossed, only ephemeral drainages.
High erosion potential: No, small cut up to 5.7' and moderate fill up to 15.8', required.
Loss of soil productivity: No, location will be restored after drilling, if nonproductive. If
productive unused portion of drillsite will be reclaimed.
Unusually large wellsite: No, small drillsite, 200'X200'.
Damage to improvements: Slight, surface use is grassland.
Conflict with existing land use/values: <u>Slight</u> Mitigation
Avoid improvements (topographic tolerance)
Exception location requested
X Stockpile topsoil
Stream Crossing Permit (other agency review)
X Reclaim unused part of wellsite if productive
Special construction methods to enhance reclamation
Other
Comments: Will utilize existing county road. Short access off existing county road to be
build, about 1 mile of new access will be built into this location. Unlined earthen pits will be
utilized for drilling. Top water will be recycled to the next location and solids will be allowed to
dry in the pits. When pits are dry they will be filled in with subsoil and topsoil spread. No
concerns.
Health Hazards/Noise
(possible concerns)
Proximity to public facilities/residences: <u>Closest residences are about 5/8 of a mile to the east</u>
northeast of this wellsite.
Possibility of H2S: None, all formations are sweet gas producers in area of review.
Size of rig/length of drilling time: Small single derrick drilling rig/Short drilling time 3 to 4 days.
Mitigation:
X Proper BOP equipment
Topographic sound barriers
H2S contingency and/or evacuation plan
Special equipment/procedures requirements
Other:
Comments: Adequate amount of surface casing and BOP equipment should mitigate
any problems.
Wildlife/recreation
(possible concerns)
Proximity to sensitive wildlife areas (DFWP identified): None identified.
Proximity to recreation sites 7 miles to the north is the Upper Missouri River Breaks National
Monument boundary.
Creation of new access to wildlife habitat: None
Conflict with game range/refuge management: None
Threatened or endangered Species: Threatened or endangered species identified are the Pallid
Sturgeon and Black-Footed Ferret. Species of concern is the Greater Sage Grouse.
Mitigation:
Avoidance (topographic tolerance/exception)
Other agency review (DFWP, federal agencies, DSL)

Screening/fencing of pits, drillsite Other:
Comments: Private surface lands. Surface use is grassland. About ¼ of a mile to the
north and south are cultivated fields. About ½ of a mile to the west and southwest is a county
gravel road. Sage Grouse Mitigation for Oil & Gas Operations on School Trust Lands
(November 2007) requires a ¼ mile buffer around active Leks and time restrictions apply. This
well is more than ¼ mile from the nearest Lek and will be drilled after June 15, 2010 and before
March 1, 2011. No concerns.
Historical/Cultural/Paleontological
(possible concerns) Provincts to brown sites. None identified
Proximity to known sites None identified Mitigation
avoidance (topographic tolerance, location exception)
avoidance (topographic toterance, rocation exception) other agency review (SHPO, DSL, federal agencies)
Other:
Comments: Surface land is private. No concerns.
Social/Economic
(possible concerns)
Substantial effect on tax base
Create demand for new governmental services
Population increase or relocation
Comments: No, small impact expected from the drilling of this well.
Remarks or Special Concerns for this site
No special concerns about this wellsite. This is a Cretaceous Eagle Formation test to be drilled
to 2200' TD.
Summary: Evaluation of Impacts and Cumulative effects
No significant or long term impacts expected from the drilling of this well. Some short term
impacts will occur.
I conclude that the approval of the subject Notice of Intent to Drill (does/does not) constitute a
major action of state government significantly affecting the quality of the human environment, and (does/ <u>does not</u>) require the preparation of an environmental impact statement.
Prepared by (BOGC): /s/ Steven Sasaki
(title:) Chief Field Inspector
Date: July 7, 2010

Other Persons Contacted:
Montana Bureau of Mines and Geology, GWIC website
(Name and Agency)
Fergus County water wells
(subject discussed)
May 27, 2010
(date)
US Fish and Wildlife, Region 6 website
(Name and Agency)
ENDANGERED, THREATENED, PROPOSED AND CANDIDATE SPECIES MONTANA
COUNTIES, Fergus County
(subject discussed)
June 22, 2010
(date)
Mr. Tom Stivers, Biologist, Montana FWP
(Name and Agency)
Greater Sage Grouse Leks in Fergus County, Montana
(subject discussed)
June 22, 2010
(date)
If location was inspected before permit approval:
Inspection date:
Inspector:
Others present during inspection: